




SLIDING GEARS



ROLLER GUIDE WITH SPRING
2 TOP AND 2 BOTTOM

Finishing: Brown
UOM: ST


SR K445BBR.S
PLASTIC RAIL

Length: 3.66m
Finishing: Brown/Black
UOM: PC


PR 1485UF.12
SLIDING GEAR
2 TOP AND 2 BOTTOM

Finishing: Black
UOM: ST


SR K446BL
TOP ROLLER RAIL

Length: 3.66m
Material: Aluminium
UOM: PC


SRL K412.12T
BOTTOM ROLLER RAIL

Size: W9.8 x H7.7mm
Length: 3.66m
Material: Aluminium
UOM: PC


SRL K411.12B
SLIDING GEAR
2 TOP AND 2 BOTTOM

Finishing: Black
UOM: ST


SR K447BL
TOP ROLLER RAIL

Length: 3.66/3m
Material: Aluminium
UOM: PC


SRL AL209.LT
BOTTOM ROLLER RAIL

Length: 3.66/3m
Material: Aluminium
UOM: PC


SRL AL209.LB
SLIDING GEAR
2 TOP AND 2 BOTTOM


Material: Zinc Alloy
Finishing: Nickel
UOM: ST


SR K451NK
TOP ROLLER RAIL

Length: 3.66m
Material: Aluminium
UOM: PC


SRL K412.12T
BOTTOM ROLLER RAIL

Size: W9.8 x H7.7mm
Length: 3.66m
Material: Aluminium
UOM: PC


SRL K411.12B

**SLIDING GEAR
2 TOP AND 2 BOTTOM**

Material: Zinc Alloy
Finishing: Nickel
UOM: ST


SR K452NK
TOP ROLLER RAIL

Length: 3.66m
Material: Aluminium
UOM: PC


SRL K412.12T
BOTTOM ROLLER RAIL

Size: W9.8×H7.7mm
Length: 3.66m
Material: Aluminium
UOM: PC


SRL K411.12B
**ROLLER GUIDE SET
2 TOP AND 2 BOTTOM
For Small bone aluminium door**

Diameter: 20mm
UOM: ST


ADF 209SRG
TOP ROLLER RAIL

Length: 3 / 3.66m
Material: Aluminium
UOM: PC


SRL AL209.LT
BOTTOM ROLLER RAIL

Length: 3 / 3.66m
Material: Aluminium
UOM: PC


SRL AL209.LB
**SLIDING GEAR
2 TOP AND 2 BOTTOM
For wood & aluminium door**

Material: Nickel
Packaging: 10STS/BOX
UOM: ST


SR K454NK
SINGLE TRACK

Length: 3.66m
Material: Aluminium
UOM: PC


SRL AL408.12
DOUBLE TRACK

Length: 3.66m
Material: Aluminium
UOM: PC



Size: W56×H10.35mm
SRL AL410.12

**SLIDING GEAR WITH DAMPER
For wooden door and aluminium door**

Feature: Soft Closing
Loading capacity: 80kgs
UOM: ST


SRL G1500

U TOP TRACK

Length: 3M
Material: Aluminium
UOM: PC


SRL G1500.10T

HANGING SLIDING DOOR GEAR
 For Aluminium and wooden door

SRL G2500
UPPER TRACK

Length: 3m
Material: Aluminium
UOM: PC


SRL A750.10T
HANGING SLIDING ROLLER
 FOR GLASS DOOR



Glass Thickness: 10-12mm
Loading Capacity: 80-100kg
Material: Stainless Steel
UOM: ST


SRL GL750
HIDDEN SLIDING DOOR GEAR
 COME WITH UPPER AND LOWER ALUMINIUM PROFILE

Loading Capacity: 80kgs
UOM: ST



SRL SC.18ST.1150

By  **SISCO**
SISTEM
Made In Italy



Automatic self activating device


FOLDING DOOR HINGE


Size: L236.5 x W20mm (Fully Open)
L118 x W47mm (Fold)
Finishing: Black
UOM: PR

**CENTRAL BALL PIVOT DOOR HINGE**


Size: L75 x W19 x H3mm
Finishing: Brushed Nickel
UOM: PC

**DH FA555.BL****WS 1018.SS****PIVOT DOOR HINGE**

Thickness Door: 32mm
Material: 304 Stainless Steel
Loading Capacity: 100kgs/door
UOM: PR

**PIVOT DOOR HINGE**

Material: Stainless Steel
UOM: PR



Size: L65 x W1(14) x W2(21) x T1.5mm

NH PV070.65.SS

Size: L100 x W1(16) x W2(30) x T3mm



NH PV072.100.SS


Size: L150 x W1(25) x W2(40) x T3mm

NH PV073.100.SS

NH PV03.SS**PIVOT HINGE**

Thickness Door: 25-50mm
Material: 304 Stainless Steel
Loading Capacity: 30-40kgs/door
UOM: PR

**NH PV50.SS**



Folding Sliding Door Fittings

SLIDING DOOR GEAR

Feature: Soft Closing
Loading capacity: 60-80kgs
Packaging: 64STS / CTN
UOM: ST



SRL G800



SLIDING DOOR GEAR

Feature: Soft Closing
Loading capacity: 60-80kgs
Packaging: 64STS / CTN
UOM: ST



SRL G850



U TOP TRACK

Size: W31 x H28.4 x T1.6mm
Length: 1.8 / 2.4 / 3 / 3.66m
Material: Aluminium
UOM: PC

2



SRL LR.AL

WALL MOUNT RAIL BRACKET

UOM: PC


SRL F8009N

FOLDING DOOR PIVOT SET
TOP AND BOTTOM COME WITH HOUSING

UOM: ST

SRL G4900.PTB

3



LOWER GUIDE WITH 12MM BEARING

Size: L40 x W16 x H15.4mm
UOM: PC



SRL G5018.GT

4

FOLDING DOOR HINGE
SCREW ON

Size: W42 x H50 x T1.0mm
Degree Opening: 180°
UOM: PC

HT HF625

5



ANTI JUMP SLIDING DOOR GEAR
2 TOP AND 2 BOTTOM
For wooden door

Finishing: Nickel
Loading Capacity: 25kgs
UOM: ST



SR K455NK



ALUMINIUM SLIDING DOOR GEAR WITH BEARINGS
2 TOP AND 2 BOTTOM

Feature: Auto adjust
Loading capacity: 50kgs
Packaging: 100ST / CTN
UOM: ST



SRL AL315B



SLIDING DOOR GEAR
For aluminium door; for 1 door

Feature: Automatic hook, Reset function,
Soft closing
Door frame thickness: 35mm
Door width: 400-1200mm
Door height: Max 2500mm
UOM: ST



SRL AL570.50.HD



SLIDING DOOR GEAR
For aluminium door; for 1 door

Feature: Soft closing on both sides
Loading Capacity: 25-50kg/door
UOM: ST




SRL AL575.50.2HD



Aluminium Sliding Door Gear

SINGLE TRACK
TOP AND BOTTOM

Length: 3.66m
Material: Aluminium
UOM: PC




Size: W45 x H40mm
SRL AL309S.12T




Size: W32 x H6mm
SRL AL309S.12B

DOUBLE TRACK
TOP AND BOTTOM

Length: 3.66m
Material: Aluminium
UOM: PC



Size: W82 x H32mm
SRL AL309.12T



Size: W62 x H5mm
SRL AL309.12B

BARN DOOR

Feature: Soft Closing
 Railing length: 2.44m
 Door thickness: 35-45mm
 Loading capacity: 100kgs
 UOM: ST

SRL AV21D.2440



ADJUSTABLE BOTTOM GUIDE

Size: L120 x W44 x H56mm
 Finishing: Black
 UOM: PC



SR AVG12.BL

BARN DOOR For wooden door

Feature: Soft Closing
 Railing length: 2.5m
 Door thickness: 35-45mm
 Loading capacity: 150kgs
 UOM: ST

SRL AV22D.2500



FOLD-SLIDE HANGING ROLLER SYSTEM

1pc Upper Rollers, 1pc Roller & Hinge for side folding door,
 2pcs Plastic Hinge, 1pc Stopper, 1pc Full Overlay Hinge


Door thickness: 18-25mm
 Door width: Max 500mm
 Door height: Max 1200mm
 Load capacity: 15kg/door
 UOM: ST



Plastic Hinge



Rollers and hinges for side folding doors



Included

Full overlay hinge

Plastic hinge


SRL G2100



Upper Track

Length: 3m
 Material: Aluminium
 UOM: PC

SRL G2100.10T





Folding Sliding Door

FOLDING SLIDING DOOR GEAR For 2 panels

Feature: Soft closing
Door thickness: Min16mm
Door width: 300-600mm
Loading capacity: 25-40kgs / 2panels
UOM: ST



SRL G1300



TOP TRACK

Length: 3m
Material: Aluminium
UOM: PC



SRL G1300.10T

BOTTOM TRACK

Length: 3m
Material: Aluminium
UOM: PC



SRL G1300.10B

FOLDING DOOR GEAR For 2 panels

Loading capacity: 50kgs
Packaging: 40STS / CTN
UOM: ST



SRL G610.L (Left)

SRL G610.R (Right)



TOP TRACK

Length: 2m
Material: Aluminium
UOM: PC



SRL G610.6T

BOTTOM TRACK

Length: 2m
Material: Aluminium
UOM: PC



SRL G610.6B



Concealed Sliding Door System

CONCEALED SLIDING DOOR SYSTEM For 2 doors

Feature: Soft Closing

Wooden door thickness: Max 20mm

Alum frame door thickness: Max 34mm

Door width: 500-1200mm

Door height: 2500mm

Loading capacity: 50kgs / door

UOM: ST



SRL G1050.2D



TOP & BOTTOM SINGLE TRACK

Length: 3m


Material: Aluminium

UOM: PC



SRL G1050.10TB

Wardrobe dimension





Light Sliding Door Gear

DECORATIVE SLIDING DOOR GEAR

For 1 door (2 Top and 2 Bottom)

Suitable for glass and wooden door

Feature: Automatic hook coupling function,
Soft closing

Door width: 500–1200mm

Door height: Max2500mm

Loading Capacity: 15kgs / door

UOM: ST

SRL G1150.RL



DAMPER

UOM: ST(2pcs)

SRL G1150.DPR



UPPER TRACK

Length: 3m

Material: Aluminium

UOM: PC

SRL G1150.10TB



ACCESSORIES

UOM: PK

SRL G1150.ACC





Hanging Sliding Door Gear

HANGING SLIDING DOOR

For wooden and aluminium door

Door thickness: 16–45mm

Door width: 700–1500mm

Door height: Max 2500mm

Loading capacity: 20-80kgs / door
UOM: ST



TOP TRACK

Length: 3m

Material: Aluminium

UOM: PC

SRL G1200.10T



BOTTOM TRACK

Length: 3m

Material: Aluminium

UOM: PC

SRL G1200.10B



For 1 inner and 1 outer door(2 doors)

UOM:ST

SRL G1200.2D



For 2 inner and 1 outer door(3 doors)

UOM: ST

SRL G1200.3D

For 1 outer door panel

UOM: ST



SRL G1200.OD



HANGING DOOR STOPPER

For 3 doors

SRL G1200.STP






In Line Sliding Door System

IN LINE SLIDING DOOR SYSTEM(Two doors close in one piece)
For wooden and aluminium door

Double Soft Closing
Door thickness: 18-45mm




Cabinet width: 1350-1650mm Cabinet width: 1650-2050mm

SRL G26001350


SRL G26001650



In Line Sliding Door System Specification



Thickness of door 18-45mm(Handle included)





IN-LINE SLIDING DOOR SYSTEM For wooden and aluminium door

Double Soft Closing
Loading Capacity: 20kgs/door
UOM: ST



Inner Cabinet Width: 1150-1750mm
SRL G1700.1750

Inner Cabinet Width: 1750-2350mm
SRL G1700.2350



INCONGRUOUS LINKAGE HANGING SLIDING ROLLER SYSTEM
for wooden door; for 2 doors (2 fixed doors + 2 movable doors)

Door thickness: 35~50mm




Door width: 580~1200mm

Door Weight: 100kgs/door

UOM: ST




SRL G1800



UPPER TRACK

Material: Aluminium
Length: 10' (3meter)

SRL G1819.10T



BOTTOM TRACK

Material: Aluminium
Length: 10' (3meter)




SRL G1819.10B

SYNTHETIC LINKAGE HANGING SLIDING ROLLER SYSTEM
for wooden door; for 3 doors (1 fix door + 3 movable doors)

Door thickness: 35~50mm
Door width: 580~1200mm
Door Weight: 100kgs/door
UOM: ST




SRL G1900



UPPER TRACK

Material: Aluminium
Length: 10' (3meter)

SRL G1819.10T



BOTTOM TRACK

Material: Aluminium
Length: 10' (3meter)

SRL G1819.10B

**SHOWCASE ROLLER**

Packaging: 100PCS / BOX
UOM: PC

GR 001**SHOWCASE BEARING ROLLER**

Material: Stainless Steel
Packaging: 100PCS / BOX
UOM: PC

GR 004.SS**SLIDING ROLLER**

Size: 19 / 25mm
Material: Nylon
UOM: PC

SR SBSNL**SLIDING WINDOW ROLLER**

Material: Brass
UOM: PC

SR DAL002.BRS**ADJUSTABLE ROLLER**

UOM: PC

SR S004A**SLIDING DOOR DOUBLE ADJUSTABLE ROLLER**

UOM: PC

SR S001.D**STOPPER FOR BOTTOM TRACK**

Material: Steel
UOM: PC

SRL ALF309.SCH**BOTTOM GUIDE FOR SRL G800**

Material: Nylon
UOM: PC

SRL 8000.TW**SHOWCASE ROLLER**

Material: Brass
Packaging: 100PCS / BOX
UOM: PC

GR 003.BRS**SLIDING ROLLER**

Size: 19 / 25mm
Material: Iron
UOM: PC

SR SBSIR**SLIDING DOOR ROLLER**

Material: Brass
UOM: PC
Size: W40 × H30mm
SR DAL001.BRS
Size: W40 × H61mm
SR DAL004.BRS

**SLIDING WINDOW ROLLER**

Packaging: 500PCS / CTN
UOM: PC

SR S002J**ADJUSTABLE ROLLER**

UOM: PC

SR S001**STOPPER FOR TOP TRACK**

Finishing: Grey
Material: Plastic
UOM: PC

SRL ALF315.LG**STOPPER FOR BOTTOM TRACK**

Material: Plastic
UOM: PC

SRL ALF314.W**DOOR STRAIGHTENER**

Door thickness: 15mm
Door height: 1000–2000mm
Use 2 sets when width is more than 600mm
UOM: PC
SRL AS20.2700