


**avio<sup>®</sup>**  
**HINGES**





## HINGES

### KEYHOLE HYDRAULIC HINGE

Come with 2 Holes or 4 Holes Mounting Plate  
Can use for wooden & aluminium door

**Feature :** 5/8 Full Overlay,  
110° Degree Opening

**Packaging :** 200PCS / CTN

**UOM :** PC



**DH APN330.15.2**

**DH APN330.15.4A**

**DH APN330.15.4.BL**




### KEYHOLE HYDRAULIC HINGE

Come with 4 Holes Mounting Plate

**Feature :** 1/4 Half Overlay,  
110° Degree Opening

**Packaging :** 200PCS / CTN

**UOM :** PC



**DH APN330.08.4A**




### KEYHOLE HYDRAULIC HINGE

Come with 4 Holes Mounting Plate


**Feature :** 0/0 Insert,  
105° Degree Opening

**Packaging :** 200PCS / CTN

**UOM :** PC



**DH APN330.00.4A**




### CLIP-ON HYDRAULIC HINGE

Come with 4 Holes Mounting Plate

**Feature :** 5/8 Full Overlay,  
110° Degree Opening  
Detachable

**Packaging :** 200PCS / CTN

**UOM :** PC



**DH APN311.15.4**





#### CLIP-ON HYDRAULIC HINGE

Come with 4 Holes Mounting Plate

**Feature :** 0/0 Insert,  
110° Degree Opening,  
Detachable

**Packaging :** 200PCS / CTN  
**UOM :** PC



**DH APN311.00.4**





#### CLIP-ON HYDRAULIC HINGE

Come with 4 Holes Mounting Plate

**Feature :** 1/4 Half Overlay,  
110° Degree Opening,  
Detachable

**Packaging :** 200PCS / CTN  
**UOM :** PC



**DH APN311.08.4**



#### FULL OVERLAY SLIDE-ON HINGE

Come with 4 Holes Mounting Plate  
For Aluminium Door Frame

**Feature :** 0/0 Insert,  
110° Degree Opening

**Packaging :** 100PCS / CTN  
**UOM :** PC



**DH APN313.00.4**



#### FULL OVERLAY SLIDE-ON HINGE

Come with 4 Holes Mounting Plate  
For Aluminium Door Frame

**Feature :** 1/4 Half Overlay,  
110° Degree Opening,  
Soft Closing

**Packaging :** 100PCS / CTN  
**UOM :** PC



**DH APN313.08.4**







## HINGES


### FULL OVERLAY SLIDE-ON HINGE

Come with 4 Holes Mounting Plate  
For Aluminium Door Frame

**Feature:** 5/8 Full Overlay,  
98° Degree Opening,  
Soft Closing

**Packaging:** 100PCS/CTN

**UOM:** PC



**DH APN313.15.4** **DH APN313.15.4.GD** **DH APN313.15.4.BL**



### SPECIAL ANGLE HYDRAULIC HINGE

Come with 4 Holes Mounting Plate


**Feature:** 30° Degree Opening, Soft Closing

**Packaging:** 100PCS/CTN

**UOM:** PC



**DH APN480.15.4**



### TWO-STAGE FORCE (FREE STOP)

Come with 4 Holes Mounting Plate  
For Door Thickness : 15-18mm


**Feature:** Soft Closing

**Packaging:** 200PCS/CTN

**UOM:** PC



**DH APN520.15.4**



### ADJUSTMENT CLIP ON

#### TWO-STAGE FORCE (FREE STOP) - SMALL ANGLE

Come with 4 Holes Mounting Plate  
For Door Thickness : 15-18mm


**Feature:** Soft Closing

**Packaging:** 200PCS/CTN

**UOM:** PC




**DH APN530.15.3**





**FULL OVERLAY HINGE WITH COVER**  
For 16-25mm Board Thickness

**Feature:** 5/8 Full Overlay, 95° Degree Opening  
**Packaging:** 100PCS/CTN  
**UOM:** PC



**DH APN610.15.0.BL** **DH APN610.15.0.WH**




**FULL OVERLAY KEYHOLE HYDRAULIC**  
Come with 4 Holes Mounting Plate  
For Door Thickness: 12-22mm

**Feature:** 5/8 Full Overlay,  
105° Degree Opening, Soft Closing  
**Packaging:** 100PCS/CTN  
**UOM:** PC



**DH APN220.15.4**



**SPECIAL ANGLE HYDRAULIC HINGE**  
Come with 4 Holes Mounting Plate  
For Door Thickness: 12-22mm

**Feature:** -45° Degree Opening, Soft Closing  
**Packaging:** 100PCS/CTN  
**UOM:** PC




**DH APN470.15.4**



**HYDRAULIC HINGE**  
Come with 4 Holes Mounting Plate

**Feature :** 5/8 Full Overlay,  
110° Degree Opening  
**Packaging :** 300PCS / CTN  
**UOM :** PC



**DH APN385.15.4**





## HINGES

### HYDRAULIC HINGE

Come with 4 Holes Mounting Plate


**Feature :** 5/8 Full Overlay,  
100° Degree Opening,  
Smart Angle Soft Closing

**Packaging :** 200PCS / CTN

**UOM :** PC



**DH APN410.15.4**




### HYDRAULIC HINGE

Come with 4 Holes Mounting Plate


**Feature :** 5/8 Full Overlay,  
100° Degree Opening

**Packaging :** 300PCS / CTN

**UOM :** PC



**DH CPN230.15.4**




### CLIP-ON HINGE

Come with 2 Holes Mounting Plate


**Feature :** 5/8 Full Overlay,  
165° Degree Opening,  
Soft Closing

**Packaging :** 100PCS / CTN

**UOM :** PC



**DH AVS.165.15.4**




### KEYHOLE HYDRAULIC HINGE

Come with 4 Holes Mounting Plate

**Feature :** 5/8 Full Overlay,  
110° Degree Opening,  
3D Adjustable Clip

**Packaging :** 300PCS / CTN

**UOM :** PC



**DH APN430.15.3**



**KEYHOLE HYDRAULIC HINGE**

Come with 4 Holes Mounting Plate

**Feature :** 5/8 Full Overlay,  
110° Degree Opening,  
304 Stainless Steel Body,  
201 Stainless Steel Screw

**UOM :** PK (2PCS)



**DH AS70.15.4.DY2****CLIP-ON HINGE**

Come with 4 Holes Mounting Plate

**Feature :** 5/8 Full Overlay,  
165° Degree Opening,  
Soft Closing

**Packaging :** 100PCS / CTN

**UOM :** PC


**DH CYH.165.15.4****PIE CUT CORNER HINGE**

Come with 2 Holes Mounting Plate

**Feature :** 5/8 Full Overlay,  
135° Degree Opening

**Packaging :** 200PCS / CTN

**UOM :** PC

**DH CYH.135.15.4****FULL OVERLAY HYDRAULIC HINGE**

Come with 4 Holes Mounting Plate

**Feature :** 5/8 Full Overlay,  
100° Degree Opening,  
201 Stainless Steel

**Packaging :** 200PCS / CTN

**UOM :** PC

**DH AS73.15.4**





## HINGES

### FULL OVERLAY HYDRAULIC HINGE

Come with 4 Holes Mounting Plate

**Diameter :** 40mm

**Hinge Thickness :** 1.2mm

**Wood Thickness :** 18-27mm

**Feature :** 5/8 Full Overlay, 95° Degree Opening

**Packaging :** 200PCS / CTN

**UOM :** PC



**DH APN440.15.4**

### SPECIAL ANGLE HYDRAULIC

Come with 4 Holes Mounting Plate

**Feature :** 1/4 Half Overlay,  
95° Degree Opening,  
Soft Closing

**Packaging :** 100PCS / CTN

**UOM :** PC



**DH CYH.90.15.4**

### SLIDE ON HINGE

Come with 2 or 4 Holes Mounting Plate

**Feature :** 5/8 Full Overlay,  
105° Degree Opening


**Packaging :** 200PCS / CTN

**UOM :** PC



(NO SPRING)

**DH AF1.15.2 DH AF1.15.4 DH AF1.15.4.NS DH ADJ.F1.15.4**




### SLIDE ON HINGE

Come with 2 or 4 Holes Mounting Plate

**Feature :** 1/4 Insert,  
105° Degree Opening

**Packaging :** 200PCS / CTN

**UOM :** PC



**DH AF2.08.2 DH AF2.08.4 DH ADJ.F2.08.4**



### SLIDE ON HINGE

Come with 2 or 4 Holes Mounting Plate

**Feature :** 0/0 Insert,  
105° Degree Opening

**Packaging :** 300PCS / CTN

**UOM :** PC



**DH AF3.00.2 DH AF3.00.4**

### HYDRAULIC HINGE

Come with 2 Holes Mounting Plate, Short Leg

**Feature :** 5/8 Full Overlay,  
105° Degree Opening,  
Soft Closing

**Packaging :** 400PCS / CTN

**UOM :** PC



**DH APN420.15.2**

### 3D ADJUSTMENT CLIP ON HYDRAULIC HINGE


**Feature :** 5/8 Full Overlay,  
110° Degree Opening,  
Soft Closing

**Door Thickness :** 15-18mm

**Hinge Thickness :** 1.2mm; Head 0.7mm

**Packaging :** 200PCS / CTN

**UOM :** PC



**DH APN450.15.3**


### CLICK ON HINGE

Come with 4 Holes Mounting Plate  
For Aluminium Door Frame

**Feature :** 5/8 Full Overlay,  
110° Degree Opening,  
Soft Closing

**Packaging :** 100PCS / CTN

**UOM :** PC



**DH APN512.15.4**

### HYDRAULIC HINGE

Come with 2 Holes Mounting Plate  
For Aluminium Door Frame

**Feature :** Short Leg,  
5/8 Full Overlay,  
98° Degree Opening,  
Soft Closing

**Colour :** Chrome / Black

**Packaging :** 100PCS / CTN

**UOM :** PC



**DH APN314.15.2**

**DH APN314.15.2.BL**

### GLASS DOOR HINGE

Come with ZA Round Cap and Mounting Plate

**Feature :** 5/8 Full Overlay,  
105° Degree Opening

**Cup Diameter :** 26mm

**Glass Thickness :** 4-5mm


**Packaging :** Stainless Steel / Gold

**Packaging :** 300PCS / CTN

**UOM :** PC



**GH H1.15**



### GLASS DOOR HINGE

Come with ZA Round Cap and Mounting Plate

**Feature :** 1/4 Half Overlay,  
105° Degree Opening

**Cup Diameter :** 26mm

**Glass Thickness :** 4-5mm


**Packaging :** Stainless Steel / Gold

**Packaging :** 300PCS / CTN

**UOM :** PC



**GH H2.08**



### GLASS DOOR HINGE

Come with ZA Round Cap and Mounting Plate

**Feature :** 0/0 Half Overlay,  
105° Degree Opening

**Cup Diameter :** 26mm

**Glass Thickness :** 4-5mm


**Packaging :** Stainless Steel / Gold

**Packaging :** 300PCS / CTN

**UOM :** PC



**GH H3.00**




### FULL OVERLAY HYDRAULIC HINGE

Come with 4 Holes Mounting Plate  
For Aluminium Door Frame

**Feature :** 165° Degree Opening,  
Soft Closing

**Packaging :** 100PCS / CTN

**UOM :** PC




**DH ADJ165.15.4 DH ADJ165.15.4.BL**





**0/0 INSERT KEYHOLE HYDRAULIC HINGE**


For Door Thickness: 15-18mm

**Feature :** 100° Degree Opening,  
Soft Closing**Packaging :** 280PCS / CTN**UOM :** PC**DH APN395.00.4****HALF OVERLAY KEYHOLE HYDRAULIC HINGE**

For Door Thickness: 15-18mm

**Feature :** 100° Degree Opening,  
Soft Closing**Packaging :** 300PCS / CTN**UOM :** PC**DH APN395.08.4****FULL OVERLAY KEYHOLE HYDRAULIC HINGE**

For Door Thickness: 15-18mm

**Feature :** 100° Degree Opening,  
Soft Closing**Packaging :** 300PCS / CTN**UOM :** PC**DH APN395.15.4****CONCEALED HINGE**Come 18mm Board Thickness / Door Size: 2700 x 450mm  
For Wooden and Aluminium Door Use**Feature :** 105° Degree Opening,  
Soft Closing,  
30kgs Loading Capacity**Packaging :** 100PCS / CTN**UOM :** PC**DH ACH700.30.BL**



## HINGES

### CONCEALED HINGE HOLDER

For Wooden Door Use

**Packaging:** 50PCS/CTN

**UOM:** PC



**DH ACC.ACH700.HH.BL**

### CONCEALED HINGE CORNER CONNECTOR

For Aluminium Door Use

**Packaging:** 50PCS/CTN

**UOM:** PC



**DH ACC.ACH700.CN.NK**

### ONE TOUCH PUSH TO OPEN

**Installation Method:** Open Mounting and concealed

**Feature:** Push Soft Opening to Max 110° Degree,  
Need to Pair with no Spring Hinge  
Soft Close

**L. Capacity:** Max 7.5kg

**Recommended Size:** Max H700 x 600mm

**MH AT1.7.LD.BL**

**L. Capacity:** Min 7.5kg - Max 20kg

**Recommended Size:** Max H2200 x 600mm

**MH AT1.20.HD.BL**



### LED HINGE LIGHT

**UOM:** PC

\*not inclusive of hinge



**DH ACC.LED10**

### HINGE COVER

**Diameter:** 35mm

**Finishing:** White

**UOM:** PC



**PC H35W**

### EASY-ON CONCEALED HINGE

With Spring Tensed Self Closing

**Packaging:** 200PCS / CTN

**UOM:** PC



**DH 812**

### CONCEALED CYCLINDER HINGE

**Diameter:** 10, 12, 14, 16, 18 & 24mm

**Material:** Brass

**UOM:** PC



**DH IHD.BRS**